

FIG. 1




FIG. 1




FIG. 2





FIG. 3

FIG. 4








FIG. 5.

FOI 2004-04688760



FOI 2004-0608260

C.

D.




FIG 8.




FIG 9.




FIG 8. 02/12/01 12:58 FAX

FIG 12.




FIG 10.




FIG 11.






FIG 13.



02/12/01 12:58 FAX

Variable	Mean	SD	Min	Max
Age	34.5	10.2	18	65
Gender	0.5	0.5	0	1
Marital status	0.6	0.5	0	1
Education	12.5	2.5	8	16
Income	1500	500	500	3000
Health status	0.7	0.4	0	1
Employment status	0.8	0.4	0	1
Family size	3.2	1.5	1	6
Home ownership	0.6	0.5	0	1
Vehicle ownership	0.4	0.5	0	1
Travel frequency	0.3	0.4	0	1
Travel mode	0.5	0.5	0	1
Travel satisfaction	0.6	0.4	0	1
Travel frequency (continuous)	0.3	0.4	0	1
Travel mode (continuous)	0.5	0.5	0	1
Travel satisfaction (continuous)	0.6	0.4	0	1
Travel frequency (log transformed)	0.3	0.4	0	1
Travel mode (log transformed)	0.5	0.5	0	1
Travel satisfaction (log transformed)	0.6	0.4	0	1
Travel frequency (square root transformed)	0.3	0.4	0	1
Travel mode (square root transformed)	0.5	0.5	0	1
Travel satisfaction (square root transformed)	0.6	0.4	0	1
Travel frequency (reciprocal transformed)	0.3	0.4	0	1
Travel mode (reciprocal transformed)	0.5	0.5	0	1
Travel satisfaction (reciprocal transformed)	0.6	0.4	0	1
Travel frequency (logit transformed)	0.3	0.4	0	1
Travel mode (logit transformed)	0.5	0.5	0	1
Travel satisfaction (logit transformed)	0.6	0.4	0	1
Travel frequency (probit transformed)	0.3	0.4	0	1
Travel mode (probit transformed)	0.5	0.5	0	1
Travel satisfaction (probit transformed)	0.6	0.4	0	1
Travel frequency (tanh transformed)	0.3	0.4	0	1
Travel mode (tanh transformed)	0.5	0.5	0	1
Travel satisfaction (tanh transformed)	0.6	0.4	0	1
Travel frequency (sigmoid transformed)	0.3	0.4	0	1
Travel mode (sigmoid transformed)	0.5	0.5	0	1
Travel satisfaction (sigmoid transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1
Travel satisfaction (softmax transformed)	0.6	0.4	0	1
Travel frequency (softmax transformed)	0.3	0.4	0	1
Travel mode (softmax transformed)	0.5	0.5	0	1



FOR 04608260




FIG. 15a




FIG. 16

